

**excelsior**<sup>®</sup>  
washrooms for all environments

## **Skyline** Cubicle Range

WASHROOMS FOR ALL ENVIRONMENTS



# Skyline Cubicle Range

## The elegant and discreet full height system

Meeting the demands of modern education and mixed use environments, Skyline is a floor to ceiling system providing the user with maximum privacy and comfort. A full range of complimentary duct panels and vanity units are available on request.

Perfect for locations where greater user privacy is required. The Skyline system is an extension of our proprietary height cubicle systems providing a floor to ceiling application with an aluminium floor channel or an alternative pedestal leg option to create a standard floor clearance.

The Skyline Range is available in 3 different specification board options to meet both budget and durability requirements.

Hardware is available in a standard aluminium finish with bespoke colours and finishes available on request at an additional cost.

Panel and door colours can be selected from a large range of preferred laminate manufacturers.

Wall & duct panelling and fully framed vanity units can be supplied to complement this system.

The Skyline cubicle range is available on a typical delivery basis of 3-4 weeks from receipt of approved drawings and confirmation of all colour finishes.

Installation by Excelsior is strongly recommended but not essential as a full set of fixing instructions and technical information is provided with the system.



### Aluminum Ironmongery

1. Indicator Faceplate
2. Indicator Slide Bolt
3. Aluminium Leg
4. Aluminium Hinge



1.



2.



3.



4.

# Skyline Specifications

## Skyline 12mm SGL Cubicles (Floor to ceiling)

### Specifications

#### Doors, Divisions & Pilasters:

- 12mm Solid Compact Grade Laminate
- Black core radius & polished edge finish

#### Standard Dimensions:

- Up to 2600/2800mm as standard x 1500 deep

#### Ironmongery:

- Rise and fall aluminium hinges Ref: EXH-A13
- Recessed Indicator and Keep Ref: EXL-A13
- Coat Hook - Ref: EXCH-A13
- Brackets - 13mm SAA Division U-Channel 13mm SAA Wall Pilaster J-Channel
- Headrail - Ref: EXPHR13
- Division base rail 13mm SAA U-Channel

*Toilet Roll Holders & Accessories available upon request.*

## Skyline 20mm HPL Cubicles (Floor to ceiling)

### Specifications

#### Doors, Divisions & Pilasters:

- High Pressure Laminate PUR bonded onto 18mm MR core
- 2mm ABS edge finish

#### Standard Dimensions:

- Up to 2600/2800mm floor to ceiling height x 1500mm deep

#### Ironmongery:

- Rise and fall aluminium hinges Ref: EXH-A20
- Recessed Indicator and Keep Ref: EXL-A20
- Coat Hook - Ref: EXCH-A20
- Brackets - 20mm SAA Division U Channel 20mm SAA Wall Pilaster J-Channel
- Headrail - Ref: EXPHR20
- Division base rail 20mm SAA U-Channel

*Toilet Roll Holders & Accessories available upon request.*

## Skyline Summit CDF Cubicles (Floor to ceiling)

### Specifications

#### Doors, Divisions and Pilasters

- 13mm Laminated Compact Density Fibreboard
- Black core radius & machined edge finish

#### Standard Dimensions:

- Up to 2800mm floor to ceiling height x 1500mm deep

#### Ironmongery:


- Rise and fall aluminium hinges Ref: EXH-A13
- Recessed Indicator and Keep Ref: EXL-A13
- Coat Hook - Ref: EXCH-A13
- Brackets - 13mm SAA Division U-Channel 13mm SAA Wall Pilaster J-Channel
- Headrail - Ref: EXPHR13
- Division base rail 13mm SAA U-Channel

Colour Selection: Excelsior Kronoswiss CDF Cubicle and Washroom Range only.

*Toilet Roll Holders & Accessories available upon request.*

## SGL

### Compact Solid Grade Laminate



1. Protective overlay for printed decors.
2. Decorative paper on both sides impregnated with melamine resin.
3. Multiple layers of kraft paper impregnated with phenolic resin, to form a rigid exposed core with a radiused, polished edge.

## HPL


### High Pressure Laminate



1. Protective overlay for printed decors.
2. Decorative paper impregnated with melamine resin.
3. Layers of kraft paper impregnated with phenolic resin, to be bonded onto MR core.

## CDF

### Compact Density Fibreboard



1. Protective overlay for printed decors.
2. Decorative paper on both sides impregnated with melamine resin.
3. Compact Density Fibreboard core.

**Ironmongery Finish:** Excelsior Semi Bright Anodised Aluminium as standard.

**Colour Selections:** Excelsior preferred cubicle & washroom colour selection.

**Special Notes:** Outward opening doors complete with back to back Aluminium 'D' Handles and full length 'Z' Section door Stop/Keep.

Partitions may be supplied in 2 pieces to meet CDM/Manual Handling constraints.

Partitions fitted into floor fixed U channel and finished 20mm below ceiling height. Doors and pilasters 10mm floor clearance

Leg Options: 50mm, 100mm and 150mm available in lieu of floor channel if required.

We recommend that outward opening doors open onto an adjacent solid wall to prevent overstrain on hinges.

