


Vanity Unit Range

WASHROOMSFORALLENVIRONMENTS



Vanity Unit Range

Durable & attractive vanity unit surface finishes

At Excelsior we offer an extensive range of fully framed Vanity Units providing our customers an excellent selection of worktop surface finishes to suit all environments.

There is an extensive array of finishes and styles for Vanity Units dependant on budget, environment and available

As a guide Excelsior's standard vanity units are available in a depth of 300mm to accommodate a semi recessed bowl which would be the ideal choice where space is limited and 600mm to accommodate an inset or sit on bowl suited to a larger washroom.

Excelsior specialise in post-forming which offers the client increased security against water ingress at the upstand and downstand junctions.


Compact Density Fibreboard is offered as standard for all of our base frames, comprising of an enhanced moisture resistance ensuring longevity and complete customer satisfaction.

The vast array of possible combinations of base unit, vanity top material and bowls allow the client to be creative and innovative with their choices. that coupled with Excelsior's bespoke manufacturing capabilities ensures an attractive combination.






SGL Compact Solid Grade Laminate




- 1. Protective overlay for printed decors.
- 2. Decorative paper on both sides impregnated with melamine resin.
- 3. Multiple layers of kraft paper impregnated with phenolic resin, to form a rigid exposed core with a radiused, polished edge.

HPL High Pressure Laminate



- 1. Protective overlay for printed decors.
- 2. Decorative paper impregnated with melamine resin.
- 3. Layers of kraft paper impregnated with phenolic resin, to be bonded onto MR core.

CDF Compact Density Fibreboard



- 1. Protective overlay for printed decors.
- 2. Decorative paper on both sides impregnated with melamine resin.
- 3. Compact Decity Fibreboard core.

Vanity Unit Specifications

Magma Vanity Unit Range

Specifications

Profile Options:

- SSIN1 560mm bed depth x 800mm oa/ height (75mm upstand) 100mm downstand to suit Inset WHB
- SSIN2 560mm bed depth x 800mm oa/ height (no rear upstand) 100mm downstand to suit Inset WHB
- SSSR1 315mm bed depth x 800mm oa/ height (75mm upstand) 300mm downstand to suit Semi-recessed WHB
- SSSR2 315mm bed depth x 800mm oa/ height (no rear upstand) 300mm downstand to suit Semi-recessed WHB

Worktop Specification Options:

- (a) 13mm Solid Surface
- (b) 20mm Granite
- (c) 20mm Quartz Conglomerate

Panel Specification:

- High Pressure Laminate bonded onto 18mm MR MDF core
- Panels post lipped with 2mm ABS edge finish or Postformed Vertical edges

Underpanels Fascia/ Shadowgaps:

Dry Areas:

- High Pressure Laminate bonded onto CDF Core
- All edges as cut
- All seen edges post lipped with matching 2mm ABS edge finish

Mariner SGL Vanity Unit Range

Specifications

Profile Options:

- SGIN1 600mm bed depth x 800mm o/a height (75mm plant on upstand) 200mm plant on downstand to suit Inset WHB
- SGIN2 600mm bed depth x 800mm o/a height (no rear upstand) 200mm plant on downstand to suit Inset WHB
- SGSR1 315mm bed depth x 800mm o/a height (75mm plant on upstand) 300mm plant on downstand to suit Semi-recessed WHB
- SGSR2 315mm bed depth x 800mm o/a height (no rear upstand) 300mm plant on downstand to suit Semi-recessed WHB

Worktop Specification:

- 12mm Solid Grade Laminate
- Plant on rear upstand & front downstand subject to profile selection

Panel Specification:

- 12mm Compact Solid Grade Laminate
- Black core radius & polished edge finish

Underpanels Fascia/Shadowgaps:

Dry Areas:

- High Pressure Laminate bonded onto CDF Core
- · All edges as cut

Wet Areas:

- 12mm Compact Solid Grade Laminate
- Black core edges as cut

Select HPL Vanity Unit Range

Specifications

Profile Options:

- HPIN1 600mm bed depth x 800mm oa/ height (75mm upstand) 200mm downstand to suit Inset WHB
- HPIN2 600mm bed depth x 800mm oa/ height (no rear upstand) 200mm downstand to suit Inset WHB
- HPSR1 315mm bed depth x 800mm oa/ height (75mm upstand) 300mm downstand to suit Semi-recessed WHB
- HPSR2 315mm bed depth x 800mm oa/ height (no rear upstand) 300mm downstand to suit Semi-recessed WHB

Worktop Specification:

- HPL bonded onto CDF Core (12mm O/A)
- Special CNC and post-formed integral rear upstand and front downstand

Panel Specification:

- High Pressure Laminate bonded onto 18mm MR MDF core
- Panels post lipped with 2mm ABS edge finish or Postformed Vertical edges

Underpanels Fascia/ Shadowgaps:

Dry Areas:

- High Pressure Laminate bonded onto CDF Core
- All edges as cut
- All seen edges post lipped with matching 2mm ABS edge finish

Frame Construction/System Support:

- Panels fix onto frontage framework using hook on or push fit clips
- Worktop Subframe 18/36mm MR MDF pre-assembled fame with WBP plywood support ails
- Hinged access panels c/w keyed budget lock available at additional cost

Colour Selections: Excelsior preferred cubicle & washroom colour selection.

BIM Objects - Typical Layout


Downloadable BIM Objects


Our BIM Families are a time saving development with fully functional parametric objects. This highly acclaimed 3D model-based process is specifically designed for Infrastructure and Building projects. It offers many benefits to owners that enable simplicity for project management.

- Visualisation of designs
- Simulation of multiple design ideas
- Productivity improvement
- Analysing and testing of application and performance

BIM enables collaborative working; management of information as one team' within a digital model holding all the information required to design and construct the project from conception to completion.

If you would like to register and download our BIM families please visit our website www.excelsior-cubicles.co.uk/bim-objects





From creation to installation... you can rest assured

Excelsior have undertaken the manufacture, supply and installation of bespoke washroom products in all washroom environments since 1978. We have a wide selection of safe, attractive and reliable systems to suit all applications, from Nursery Schools right through to Leisure Centres and Hospitals.

excelsior® washrooms for all environments

Excelsior Panelling Systems Ltd

Tel: +44 (0)1384 267770 Fax: +44 (0)1384 482127

E-mail: enquiries@excelsiorps.co.uk Web: www.excelsior-cubicles.co.uk











